

STIC-ILL

From:
Sent:
To:
Subject:

Chen, Shin-Lin
Friday, May 30, 2003 3:59 PM
STIC-ILL
articles

Adonis

pg. 10 6/2

448367

Please provide the following articles ASAP. Thanks!
Serial No. 09/914,665.

L14 ANSWER 8 OF 10 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
AN 1997:379337 BIOSIS
DN PREV199799678540
TI Tissue specific expression and promoter activity of
different HERV-LTRs.
AU Schoen, U. (1); Baust, C.; Hohenadl, C. (1); Erfle, V. (1); Hehlmann, R.;
Leib-Moesch, C. (1)
CS (1) GSF-Forschungszentrum Umwelt Gesundheit, Inst. Mol. Virol., D-85764
Oberschleissheim Germany
SO Journal of Molecular Medicine (Berlin), (1997) Vol. 75, No. 7, pp. B228.
Meeting Info.: XIX Symposium of the International Association for
Comparative Research on Leukemia and Related Diseases Heidelberg, Germany
July 13-18, 1997

L14 ANSWER 9 OF 10 MEDLINE
AN 96099430 MEDLINE
DN 96099430 PubMed ID: 8523525
TI The promoter activity of long terminal repeats
of the HERV-H family of human retrovirus
-like elements is critically dependent on Sp1 family proteins interacting
with a GC/GT box located immediately 3' to the TATA box.
AU Sjøttem E; Anderssen S; Johansen T
CS Department of Biochemistry, Institute of Medical Biology, University of
Tromsø, Norway.
SO JOURNAL OF VIROLOGY, (1996 Jan) 70 (1) 188-98.

10711833
DL-NO

L14 ANSWER 10 OF 10 CAPLUS COPYRIGHT 2003 ACS
AN 1992:544740 CAPLUS
DN 117:144740
TI Endogenous retroviral sequences are required for tissue-specific
expression of a human salivary amylase gene
AU Ting, Chao Nan; Rosenberg, Michael P.; Snow, Claudette M.; Samuelson,
Linda C.; Meisler, Miriam H.
CS Dep. Hum. Genet., Univ. Michigan, Ann Arbor, MI, 48109-0618, USA
SO Genes & Development (1992), 6(8), 1457-65.

0946-27

L14 ANSWER 7 OF 10 MEDLINE
AN 1999263499 MEDLINE
DN 99263499 PubMed ID: 10329003
TI Intergenic splicing between a HERV-H endogenous retrovirus and
two adjacent human genes.
AU Kowalski P E; Freeman J D; Mager D L
CS Department of Medical Genetics, University of British Columbia, Vancouver,
British Columbia, V5Z 1L3, Canada.
SO GENOMICS, (1999 May 1) 57 (3) 371-9.

JPL -NO
CAS 6/4

Shin-Lin Chen
AU 1632
CM1 12A15
Mail Box: CM1 12E12
(703) 305-1678

COMPLETED

45 No

STIC-ILL

From: Chen, Shin-Lin
Sent: Friday, May 30, 2003 3 59 PM
To: STIC-ILL
Subject: articles

448288

Please provide the following articles ASAP. Thank: !
Serial No. 09/914,665.

L14 ANSWER 8 OF 10 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
AN 1997:379337 BIOSIS
DN PREV199799678540
TI Tissue specific expression and promoter activit / of
different HERV-LTRs.
AU Schoen, U. (1); Baust, C.; Hohenadl, C. (1); E fle, V. (1); Hehlmann, R.;
Leib-Moesch, C. (1)
CS (1) GSF-Forschungszentrum Umwelt Gesundheit, Inst. Mol. Virol., D-85764
Oberschleissheim Germany
SO Journal of Molecular Medicine (Berlin), (1997) Vol. 75, No. 7, pp. B228.
Meeting Info.: XIX Symposium of the International Association for
Comparative Research on Leukemia and Related Diseases Heidelberg, Germany
July 13-18, 1997

L14 ANSWER 9 OF 10 MEDLINE
AN 96099430 MEDLINE
DN 96099430 PubMed ID: 8523525
TI The promoter activity of long terminal repeats
of the HERV-H family of human retrovirus
-like elements is critically dependent on Sp1 family proteins interacting
with a GC/GT box located immediately 3' to the TATA box.
AU Sjøttem E; Anderssen S; Johansen T
CS Department of Biochemistry, Institute of Medical Biology, University of
Tromsø, Norway.
SO JOURNAL OF VIROLOGY, (1996 Jan) 70 (1) 188-98.

L14 ANSWER 10 OF 10 CAPLUS COPYRIGHT 2003 ACS
AN 1992:544740 CAPLUS
DN 117:144740
TI Endogenous retroviral sequences are required for tissue-specific
expression of a human salivary amylase gene
AU Ting, Chao Nan; Rosenberg, Michael P.; Snc w, Claudette M.; Samuelson,
Linda C.; Meisler, Miriam H.
CS Dep. Hum. Genet., Univ. Michigan, Ann Arbor, MI, 48109-0618, USA
SO Genes & Development (1992), 6(8), 1457-65.

L14 ANSWER 7 OF 10 MEDLINE
AN 1999263499 MEDLINE
DN 99263499 PubMed ID: 10329003
TI Intergenic splicing between a HERV-H endogenous retrovirus and
two adjacent human genes.
AU Kowalski P E; Freeman J D; Mager D L
CS Department of Medical Genetics, University of British Columbia, Vancouver,
British Columbia, V5Z 1L3, Canada.
SO GENOMICS, (1999 May 1) 57 (3) 371-9.

D150004B

Shin-Lin Chen
AU 1632
CM1 12A15
Mail Box: CM1 12E12
(703) 305-1678

STIC-ILL

NPL
QR355.J651

From: Chen, Shin-Lin
Sent: Friday, May 30, 2003 3:59 PM
To: STIC-ILL
Subject: articles

mic

Please provide the following articles ASAP. Thanks!
Serial No. 09/914,665.

L14 ANSWER 8 OF 10 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.
AN 1997:379337 BIOSIS
DN PREV199799678540
TI Tissue specific expression and promoter activity of
different HERV-LTRs.
AU Schoen, U. (1); Baust, C.; Hohenadl, C. (1); Erfle, V. (1); Hehlmann, R.;
Leib-Moesch, C. (1)
CS (1) GSF-Forschungszentrum Umwelt Gesundheit, Inst. Mol. Virol., D-85764
Oberschleissheim Germany
SO Journal of Molecular Medicine (Berlin), (1997) Vol. 75, No. 7, pp. B228.
Meeting Info.: XIX Symposium of the International Association for
Comparative Research on Leukemia and Related Diseases Heidelberg, Germany
July 13-18, 1997

L14 ANSWER 9 OF 10 MEDLINE
AN 96099430 MEDLINE
DN 96099430 PubMed ID: 8523525
TI The promoter activity of long terminal repeats
of the HERV-H family of human retrovirus
-like elements is critically dependent on Sp1 family proteins interacting
with a GC/GT box located immediately 3' to the TATA box.
AU Sjøttem E; Anderssen S; Johansen T
CS Department of Biochemistry, Institute of Medical Biology, University of
Tromsø, Norway.
SO JOURNAL OF VIROLOGY, (1996 Jan) 70 (1) 188-98.

L14 ANSWER 10 OF 10 CAPLUS COPYRIGHT 2003 ACS
AN 1992:544740 CAPLUS
DN 117:144740
TI Endogenous retroviral sequences are required for tissue-specific
expression of a human salivary amylase gene
AU Ting, Chao Nan; Rosenberg, Michael P.; Snow, Claudette M.; Samuelson,
Linda C.; Meisler, Miriam H.
CS Dep. Hum. Genet., Univ. Michigan, Ann Arbor, MI, 48109-0618, USA
SO Genes & Development (1992), 6(8), 1457-65.

L14 ANSWER 7 OF 10 MEDLINE
AN 1999263499 MEDLINE
DN 99263499 PubMed ID: 10329003
TI Intergenic splicing between a HERV-H endogenous retrovirus and
two adjacent human genes.
AU Kowalski P E; Freeman J D; Mager D L
CS Department of Medical Genetics, University of British Columbia, Vancouver,
British Columbia, V5Z 1L3, Canada.
SO GENOMICS, (1999 May 1) 57 (3) 371-9.

Shin-Lin Chen
AU 1632
CM1 12A15
Mail Box: CM1 12E12
(703) 305-1678

From: Chen, Shin-Lin
Sent: Friday, May 30, 2003 3:59 PM
To: STIC-ILL
Subject: articles

Please provide the following articles ASAP. Thanks!
Serial No. 09/914,665.

L14 ANSWER 8 OF 10 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC.

AN 1997:379337 BIOSIS

DN PREV199799678540

TI Tissue specific expression and promoter activity of
different HERV-LTRs.

AU Schoen, U. (1); Baust, C.; Hohenadl, C. (1); Erfle, V. (1); Hehlmann, R.;
Leib-Moesch, C. (1)

CS (1) GSF-Forschungszentrum Umwelt Gesundheit, Inst. Mol. Virol., D-85764
Oberschleissheim Germany

SO Journal of Molecular Medicine (Berlin), (1997) Vol. 75, No. 7, pp. B228.

Meeting Info.: XIX Symposium of the International Association for
Comparative Research on Leukemia and Related Diseases Heidelberg, Germany
July 13-18, 1997

L14 ANSWER 9 OF 10 MEDLINE

AN 96099430 MEDLINE

DN 96099430 PubMed ID: 8523525

TI The promoter activity of long terminal repeats
of the HERV-H family of human retrovirus
-like elements is critically dependent on Sp1 family proteins interacting
with a GC/GT box located immediately 3' to the TATA box.

AU Sjøttem E; Anderssen S; Johansen T

CS Department of Biochemistry, Institute of Medical Biology, University of
Tromsø, Norway.

SO JOURNAL OF VIROLOGY, (1996 Jan) 70 (1) 188-98.

L14 ANSWER 10 OF 10 CAPLUS COPYRIGHT 2003 ACS

AN 1992:544740 CAPLUS

DN 117:144740

TI Endogenous retroviral sequences are required for tissue-specific
expression of a human salivary amylase gene

AU Ting, Chao Nan; Rosenberg, Michael P.; Snow, Claudette M.; Samuelson,
Linda C.; Meisler, Miriam H.

CS Dep. Hum. Genet., Univ. Michigan, Ann Arbor, MI, 48109-0618, USA

SO Genes & Development (1992), 6(8), 1457-65.

L14 ANSWER 7 OF 10 MEDLINE

AN 1999263499 MEDLINE

DN 99263499 PubMed ID: 10329003

TI Intergenic splicing between a HERV-H endogenous retrovirus and
two adjacent human genes.

AU Kowalski P E; Freeman J D; Mager D L

CS Department of Medical Genetics, University of British Columbia, Vancouver,
British Columbia, V5Z 1L3, Canada.

SO GENOMICS, (1999 May 1) 57 (3) 371-9.

Shin-Lin Chen
AU 1632
CM1 12A15
Mail Box: CM1 12E12
(703) 305-1678